



Available from:
Direct Pool Supplies
www.DirectPoolSupplies.com.au
Ph: 1800 648 363



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|---|------------------|--------|---------------------|----------------------------|--|------------|------------|-----------|
| AAIM C40 | 127 | 254 | Semicircle handle | 45mm female thread | | AAIM | | |
| Agean Spas - See Master Spas | | | | | | | | |
| American Products Quantum 44 | 125 | 168 | Open | Open | 4 cartridges required to make 175sq ft | AQ44 | 56627400 | C-7437 |
| Aquaswim C50 Compact | 157 | 300 | 50mm hole | 50mm hole | | AQ50C | | |
| Aquaswim CF100 | 185 | 727 | 75mm hole | 75mm hole | | AQ100 | 50100 | |
| Aquaswim CF150 | 185 | 455 | 75mm hole | 75mm hole | 2 per set | AQ150 | | |
| Aquaswim CF50 | 185 | 370 | 75mm hole | 75mm hole | | AQ50 | | |
| Aquaswim CF75 | 185 | 548 | 75mm hole | 75mm hole | | AQ75 | | |
| Aquaswim Compact C75 | 157 | 452 | 50mm hole | 50mm hole | | AQ75C | | |
| Aqueous Spa | 144 | 176 | Closed | 46mm MPT Thread | | AS25 | | |
| Arctic Spas - See Rainbow RD50M | | | | | | | | |
| Artesian 32 | 178 | 205 | Semicircle handle | 59mm MPT thread | | AR32 | | 7CH-322 |
| Artesian 50 | 178 | 205 | Semicircle handle | 59mm MPT thread | | AR50 | | 6CH502 |
| Astral Terra CE 2505 | 228 | 260 | 95mm hole | 95mm hole | | AT50 | 18218RO100 | C-8449 |
| Astral Terra CE 2507 | 228 | 381 | 95mm hole | 95mm hole | | AT75 | 18219RO100 | C-8474 |
| Astral Terra CE 2510 | 228 | 500 | 95mm hole | 95mm hole | | AT100 | 18112RO100 | C-8499 |
| Astral Terra CE 2515 | 228 | 620 | 95mm hole | 95mm hole | | AT150 | 18220RO100 | C-8415 |
| Baker Hydro HM100 Bottom | 173 | 489 | 59mm hole | 52 OD Moulded cone adaptor | | BH100B | 17B2071 | C-7607 |
| Baker Hydro HM100 Top | 173 | 489 | Moulded knob handle | 49mm hole | | BH100T | 17-B2071 | C-7607 |
| Baker Hydro HM150 Bottom | 173 | 489 | 59mm hole | 52 OD Moulded cone adaptor | | BH150B | 17-B1168 | C-7408 |
| Baker Hydro HM150 Top | 173 | 489 | Moulded knob handle | 49mm hole | | BH150T | 17-B1168 | C-7408 |
| Baker Hydro HM25 | 173 | 250 | Moulded knob handle | 52 OD Moulded cone adaptor | | BH25 | 17-B1163 | C-7603 |
| Baker Hydro HM50 | 173 | 489 | Moulded knob handle | 52 OD Moulded cone adaptor | | BH50 | 17-B2055 | C-7605 |
| Baker Hydro HM72 | 173 | 742 | Moulded knob handle | 52 OD Moulded cone adaptor | | BH72 | 17-B2056 | C-7606 |
| Bestways | 115 | 130 | 50mm hole | 50mm hole | | BW5 | | |
| Blue Label Hydrus - See Jazz | | | | | | | | |
| Blue Label Gemini 25 | 144 | 176 | Closed | 49mm SAE thread | | BL25 | | |
| Bullfrog 25 (Hi Flo) (Fits Nature2 stick) | 200 | 146 | Open (with lugs) | 59mm SAE thread | | SG25B | RFIL20025B | |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|--------------------------|------------------|--------|------------------------|-----------------------------|------------------------------------|------------|-------------------|-----------|
| Bullfrog 50 | 200 | 146 | Semicircle handle | 59mm SAE thread | | SG50B | RFIL20050B | 8CH-950 |
| Caldera 75 | 178 | 374 | Semicircle handle | 67mm hole | | CA75 | 1019301 | C-7375 |
| Cal Spas 50 | 132 | 317 | Semicircle handle | 59mm MPT thread | Same as Marquis Spas 50 | MA50 | | 5CH-502 |
| Cal Spas 75 | 132 | 409 | Semicircle handle | 59mm MPT thread | | CAL75 | | 5CH-752 |
| Cameo | 126 | 117 | 54mm hole | 54mm hole | Set of 2. Combined height of 234mm | CAM | 17-2482 | C-4401 |
| CMP50 | 127 | 257 | 54mm hole | 54mm hole | Antimicrobial Media | CMP50 | | |
| Coast Spa | 115 | 95 | 54mm hole | 54mm hole | | CS7 | | C-4310 |
| Coast Spa C100 | 135 | 535 | 54mm hole | 54mm hole | | CS100 | | C-5396 |
| Coast Spa C135 | 135 | 754 | 54mm hole | 54mm hole | | CS135 | | C-5351 |
| Coleman 402 | 178 | 248 | Semicircle handle | 59mm MPT thread | | CO402 | 3301-2110 | 7CH-402 |
| Coleman Spas 32 | 178 | 203 | Semicircle handle | 46mm MPT thread | | CH32 | 100520, 3301-2109 | 7CH-32 |
| Coleman Spas 50 new | 200 | 228 | 54mm hole | 46mm hole with slip fitting | | CO50 | 100593 3301-2261 | C-8450 |
| Coleman Spas 50 old | 178 | 364 | Semicircle handle | 59mm MPT thread | | CS50 | 100522, 3301-2111 | 7CH-502 |
| Coleman Spas 75 | 200 | 330 | 54mm hole | 46mm hole with slip fitting | | CO75 | 100594 3301-2262 | C-8475 |
| Davey Lock Ring C100 | 185 | 727 | 75mm hole | 75mm hole | | DV100 | | |
| Davey Lock Ring C150 | 185 | 455 | 75mm hole | 75mm hole | 2 per set | DV150 | | |
| Davey Lock Ring C50 | 185 | 370 | 75mm hole | 75mm hole | | DV502 | 50050 | |
| Davey Lock Ring C75 | 185 | 548 | 75mm hole | 75mm hole | | DV75 | 50075 | |
| Davey Mytilus 230 | 205 | 354 | 75mm hole | 75mm hole | | DV230 | | |
| Davey Mytilus 380 | 205 | 563 | 75mm hole | 75mm hole | | DV380 | | |
| Davey Series 3000 CF1000 | 230 | 372 | 102mm hole | 102mm hole | | DV1003 | Q2382 | 51100 |
| Davey Series 3000 CF1500 | 230 | 565 | 102mm hole | 102mm hole | | DV1503 | Q2382 | 51150 |
| Davey Series 3000 CF500 | 208 | 275 | 102mm hole | 102mm hole | | DV503 | Q2380 | 51050 |
| Davey Series 3000 CF750 | 230 | 275 | 102mm hole | 102mm hole | | DV753 | Q2381 | 51075 |
| Diamante 85 | 203 | 213 | Semicircle handle | 59mm MPT thread | | DM85 | | 8CH-852RA |
| Diamante 120 | 203 | 448 | Semicircle handle | 59mm MPT thread | | DM120 | | 8CH-202RA |
| Dimension One 52 49mm | 178 | 267 | Semicircle handle | 49mm SAE thread | | D15249 | 1561-12 | 7CH-975 |
| Dimension One 52 59mm | 178 | 267 | Semicircle handle | 59mm MPT thread | | D15259 | 1561-10 | 7CH-552 |
| Dimension One C36 | 118 | 385 | Semicircle handle | 45mm SAE thread | | D136 | 1561-13 | 4CH-940 |
| Dimension One C75 TY | 182 | 267 | 6mm hole with Y stands | 50mm hole with twist lock | | D1-TY75 | 1561-00 | C-7367 |
| Dimension One Spas 75 | 178 | 364 | Semicircle handle | 59mm MPT thread | | D175 | 1561-02 | 7CH-752 |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|--------------------------------|------------------|--------|-------------------|--------------------------------|---|------------|----------|-----------|
| D.E Conversion De 20/100 | 260 | 412 | Closed | Moulded cone adaptor | | DE20100 | | |
| D.E Conversion De 32/150 | 260 | 632 | Closed | Moulded cone adaptor | | DE32150 | | |
| Del Sol Spas 40 | 132 | 273 | Semicircle handle | 59mm MPT thread | | DS40 | 6540-723 | 5CH-402 |
| Elite Spas 35 | 143 | 204 | Semicircle handle | 46mm MPT thread | Elite Spas by Maax | EL35 | | 5CH-35 |
| E-Mail | 185 | 493 | 76mm hole | 76mm hole | | EMAIL | | |
| Emaux CF100 | 185 | 719 | 77mm hole | 77mm hole | | EM100 | 5050023 | |
| Emaux CF150 | 185 | 898 | 77mm hole | 77mm hole | | EM150 | 5050024 | |
| Emaux CF25 | 185 | 176 | 77mm hole | 77mm hole | | EM25 | 5050026 | |
| Emaux CF50 | 185 | 358 | 77mm hole | 77mm hole | | EM50 | 5050027 | |
| Emaux CF75 | 185 | 539 | 77mm hole | 77mm hole | | EM75 | 5050028 | |
| Escape Spas - See O2 Spas | | | | | | | | |
| Filtermaster C25 | 185 | 223 | 75mm hole | 75mm hole | | FM25 | | |
| Filtermaster C50 | 185 | 477 | 75mm hole | 75mm hole | | FM50 | | |
| Filtermaster C75 | 185 | 716 | 75mm hole | 75mm hole | | FM75 | 21972 | |
| Finsbury C100 | 206 | 494 | Closed | 59 OD, 50 ID Male slip fitting | | FB100 | | |
| Finsbury C50 | 185 | 484 | Closed | 60 OD, 55 ID Male slip fitting | | FB50 | | |
| Finsbury C75 | 185 | 484 | Closed | 60 OD, 55 ID Male slip fitting | | FB75 | | |
| Finsbury Splasher 800 | 135 | 119 | Closed | 55mm hole | | FB800 | | |
| Fonteyn 105 | 144 | 162 | Square handle | 58mm MPT Thread | Orange endcaps Anti-Microbial material | FT25M | 105 | |
| FPI C25 | 185 | 244 | 75mm hole | 75mm hole | | FP25 | | |
| FPI C50 | 185 | 493 | 75mm hole | 75mm hole | | FP50 | | |
| FPI C75 | 185 | 744 | 75mm hole | 75mm hole | | FP75 | | |
| Freeflow Spas TLX, RLX 25 | 125 | 168 | 54mm | 54mm | | CH22 | | 4CH-22 |
| Futura Spas - See Strong Ind. | | | | | | | | |
| Hayward 200/225 | 115 | 297 | 54mm hole | 54mm hole | | HW225 | CX225RE | C-4325 |
| Hayward 400RE Skim Filter | 216 | 273 | Semicircle handle | 103mm hole | | HW400 | CX400RE | C-8340 |
| Hayward CX1250RE | 236 | 499 | 76mm hole | 76mm hole | | HW1250 | CX1250RE | C-9499 |
| Hayward CX850RE | 236 | 360 | 76mm hole | 76mm hole | | HW850 | CX850RE | C-9485 |
| Hayward Easy Clear CX410RE | 177 | 360 | 76mm hole | 76mm hole | | HW410 | CX410RE | C-7442 |
| Hayward Star Clear II CX1100RE | 216 | 592 | 103mm hole | 103mm hole | | HW1100 | CX1100RE | C-8610 |
| Hayward Star Clear II CX800RE | 216 | 441 | 103mm hole | 103mm hole | 2 of these makes Star Clear II C1500 | HW800 | CX800RE | C-8600 |
| Hayward Star-Clear C250 | 177 | 250 | 76mm hole | 76mm hole | | HW250 | CX250RE | C-7626 |
| Hayward Star-Clear C500 | 177 | 500 | 76mm hole | 76mm hole | | HW500 | CX500RE | C-7656 |
| Hayward Star-Clear C750 | 177 | 745 | 76mm hole | 76mm hole | | HW750 | CX750RE | C-7676 |
| Hayward Star-Clear Plus C760 | 227 | 441 | 102mm hole | 102mm hole | | HW760 | CX760RE | C-8411 |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|-------------------------------|------------------|--------|-------------------------|-----------------|---|------------|------------------|-----------|
| Hayward Star-Clear Plus C900 | 227 | 441 | 102mm hole | 102mm hole | | HW900 | CX900RE | C-8409 |
| Hayward Star-Clear Plus C1200 | 227 | 592 | 102mm hole | 102mm hole | | HW1200 | CX1200RE | C-8412 |
| Hayward Star-Clear Plus C1750 | 227 | 716 | 102mm hole | 102mm hole | | HW1750 | CX1750RE | C-8417 |
| Hayward Star-Clear Plus C1900 | 227 | 716 | 102mm hole | 102mm hole | | HW1900 | CX1900RE | C-8420 |
| Hayward Swimclear 3025 | 177 | 500 | 76mm hole | 76mm hole | 4 x 81sq ft cartridges to make set | HW3025 | CX580XRE | C-7483 |
| Hayward Swimclear 4025 | 177 | 648 | 76mm hole | 76mm hole | 4 x 106 sq ft cartridges to make set | HW4025 | CX880XRE | C-7488 |
| Hayward Swimclear 5025 | 177 | 833 | 76mm hole | 76mm hole | 4 x 131 sq ft cartridges to make set | HW5025 | CX1280XRE | C-7494 |
| Hayward Swimclear CX470XRE | 177 | 360 | 76mm hole | 76mm hole | 4 required | HW470 | CX470XRE | C-7447 |
| Hayward Swimclear CX480XRE | 177 | 360 | 76mm hole | 76mm hole | 4 required | HW480 | CX480XRE | C-7458 |
| Hayward XStream CC1000RE | 227 | 441 | 102mm hole | 102mm hole | | HW100XS | CCX1000RE | C-8311 |
| Hayward XStream CC1500RE | 227 | 592 | 102mm hole | 102mm hole | | HW150XS | CCX1500RE | C-8316 |
| Hayward XStream CC1750RE | 227 | 592 | 102mm hole | 102mm hole | | HW175XS | CC1750RE | C-8317 |
| Hot Springs C30 | 150 | 260 | 50mm hole | 50mm hole | Formally C25 | HS30 | 31489 | C-6430 |
| Hotsprings C65 | 205 | 255 | 75mm hole | 75mm hole | formally C50 (HS50) | HS65 | 31114 | C-8465 |
| Hurlcon GX100 | 185 | 493 | 75mm hole | 75mm hole | | HU100Q | 78083 | |
| Hurlcon GX150 | 185 | 744 | 75mm hole | 75mm hole | | HU150Q | 78084 | |
| Hurlcon QX50 | 185 | 370 | 75mm hole | 75mm hole | | HU50Q | | |
| Hurlcon QX75 | 185 | 493 | 75mm hole | 75mm hole | | HU75Q | | |
| Hurlcon ZX100 | 230 | 488 | 75mm hole | 75mm hole | | HU100Z | 78097 | |
| Hurlcon ZX150 | 230 | 488 | 75mm hole | 75mm hole | | HU150Z | 78098 | |
| Hurlcon ZX155 | 230 | 449 | 75mm hole | 75mm hole | 2 per set with joiner | HU155Z | 78088 | |
| Hurlcon ZX200 | 230 | 688 | 75mm hole | 75mm hole | | HU200Z | 78099 | |
| Hurlcon ZX250 | 230 | 688 | 75mm hole | 75mm hole | | HU250Z | 78094 | |
| Hurlcon ZX50 | 230 | 288 | 75mm hole | 75mm hole | | HU50Z | 78095 | |
| Hurlcon ZX75 | 230 | 288 | 75mm hole | 75mm hole | | HU75Z | 78096 | |
| Intex A | 110 | 204 | 50mm hole | 50mm hole | | KC8 | Type A or C | C-4607 |
| Intex B | 147 | 260 | 48mm hole | 48mm hole | | IN20 | Type B, 59905 | C-5315 |
| Intex E | 70 | 85 | 27mm hole | 27mm hole | Original is 77mm diameter | INE2 | Type E, 58602 | C-3302 |
| Jacuzzi 95 | 203 | 394 | Semicircle handle | 59mm MPT thread | | JP95 | 2540-381 | 8CH-102 |
| Jacuzzi Premium 52 | 170 | 385 | Semicircle handle | 59mm SAE thread | | JP52 | 6540-476 | 6CH-960 |
| Jacuzzi Whirlpool Bath 50 | 144 | 264 | Closed with string loop | 54mm hole | String loop inserted on side of cartridge | JWB50 | | C-5300 |
| Jandy CS100 | 227 | 592 | 102 hole | 102 hole | | JA100 | R0462200 | C8410 |
| Jandy CS150 | 227 | 592 | 102mm hole | 102mm hole | | JA150 | R0462300 | C-8414 |
| Jandy CS200 | 227 | 841 | 102mm hole | 102mm hole | | JA200 | R0462400 | C-8418 |
| Jandy CS250 | 227 | 841 | 102mm hole | 102mm hole | | JA250 | R0462500 | C-8425 |
| Jandy CT100 | 185 | 744 | 77mm hole | 77mm hole | | JA100 | AO103400 | C-7497 |



Dimension Chart by MAKE AND MODEL

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|--|------------------|--------|---------------------|----------------------|---|------------|---------------------------------|-----------|
| Jandy CT50 | 185 | 370 | 77mm hole | 77mm hole | | JA50 | AO103600 | C-7448 |
| Jandy CT75 | 185 | 493 | 77mm hole | 77mm hole | | JA75 | AO103500 | C-7473 |
| Jandy CV340 | 177 | 686 | 76mm hole | 76mm hole | 4 required | JA340 | RO554500 | C-7549 |
| Jandy CV460 | 177 | 686 | 76mm hole | 76mm hole | 4 required | JA460 | RO554600 | C-7468 |
| Jandy CV580 | 177 | 838 | 76mm hole | 76mm hole | 4 required | JA580 | RO357900 | C-7482 |
| Jazzi Spa JFC25 Label Hydrus | Blue 144 | 176 | Closed | 58mm MPT thread | | JFC25 | | |
| Kiwi Spa C40 | 143 | 135 | 53mm hole | 53mm hole | 2 per set. 270mm total | SQ401 | | |
| Krystal Clear 4 / Sand n Sun | 110 | 95 | 50mm hole | 50mm hole | | KC4 | | |
| Krystal Clear, Intex A | 110 | 204 | 50mm hole | 50mm hole | | KC8 | Type A or C | C-4607 |
| La Spa 36 | 118 | 385 | Semicircle handle | 40mm MPT thread | | LA36 | | 4CH-50 |
| LA Spa 45 | 143 | 204 | Semicircle handle | 46mm MPT thread | | LA45 | | 6CH-47 |
| LA Spa 45 with 85mm MPT thread | 127 | 200 | Semicircle handle | 85mm MPT thread | retro fit for bag filter | LA45-85 | | 5CH-203 |
| LA Spa Monaco 22 Jet | 143 | 300 | Semicircle handle | 46mm MPT thread | | LA22 | | 6CH-50 |
| Leisurerite 2000 | 143 | 300 | 52mm hole | 52mm hole | | SQ501 | | |
| Leisurerite C100 - Bottom | 143 | 204 | Open | 49mm SAE thread | combined with top makes 2 per set. 421mm overall. | LR100 | 817-0012 | 6CH-942 |
| Leisurerite C100 -Top | 143 | 204 | Semicircle handle | Male slip fitting | combined with bottom makes 2 per set. 421mm overall | LR100 | 817-0011 | 6ch-941 |
| Leisurite C50 | 129 | 436 | 54mm hole | 54mm hole | | LR50 | | |
| MAGNUM 10" Jumbo Pleated (comes in 1,5,20 & 50 micron) | 113 | 243 | 25mm hole | 25mm hole | | JU10?? | | |
| MAGNUM 10" Standard Pleated (comes in 1,5,20 & 50 micron) | 70 | 247 | 27mm hole | 27mm hole | | ST10?? | | |
| MAGNUM 20" Jumbo Pleated (comes in 1,5,20 & 50 micron) | 113 | 505 | 25mm hole | 25mm hole | | JU20?? | | |
| MAGNUM 45 | 143 | 215 | Closed | 49mm SAE thread | | MF45 | | |
| MAGNUM 35 | 135 | 240 | 54mm hole | 54mm hole | | MF35 | | |
| Martec - See Sonfarrel | | | | | | | | |
| Marquis Spas 35 | 132 | 317 | Semicircle handle | 59mm MPT thread | | MA35 | 20042, 370-0242, 370-0243 | 5CH-352 |
| Marquis Spas 50 | 132 | 317 | Semicircle handle | 59mm MPT thread | | MA50 | 20041, 370-0237 | 5CH-502 |
| Master Spas 10 (Eco-pur) | 98 | 181 | 54 hole | 54 hole | Antimicrobial Media | MA10 | | |
| Master Spas 45 (Eco-pur) | 205 | 175 | 103 hole | 103 hole | | MA45 | | C-8341 |
| Master Spas 30 | 177 | 184 | Open | Open | Micro filter 2002-2005 | MA30 | | C-7330 |
| Monarch Ecopure C100 | 185 | 548 | 75mm hole | 75mm hole | | MO100 | Q2227 | M9757 |
| Monarch Ecopure C150 | 185 | 727 | 75mm Hole | 75mm hole | | MO150 | Q2228 | M9752 |
| Monarch Ecopure C75 | 185 | 370 | 75mm hole | 75mm hole | | MO75 | Q2226 | M9750 |
| Monarch Spas Skim | 143 | 204 | Closed | 46mm MPT thread | | MS50 | | |
| Nally Astra 150 | 300 | 500 | Moulded knob handle | Moulded cone adaptor | | NA150 | | |
| Nally Astra 180 | 300 | 500 | Moulded knob handle | Moulded cone adaptor | | NA180 | | |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|---|------------------|--------|---------------------|--------------------------------|---|------------|---------|-----------|
| Nally Astra 75 | 300 | 295 | Moulded knob handle | Moulded cone adaptor | | NA75 | | |
| Nally Mono 25 | 173 | 234 | Moulded knob handle | 62 ID, 74 OD Male slip fitting | | NM25 | | |
| Nally Mono 50 | 173 | 433 | Moulded knob handle | 73 OD Male slip fitting | | NM50 | | |
| Nally Mono 75 | 185 | 490 | Moulded knob handle | Male slip fitting | | NM75 | 1516 | |
| O2 Spas C25 | 127 | 339 | Semicircle handle | SAE Internal Thread | Replacement for Purezone polyspun cartridge | O225 | | |
| O2 Spas C50 | 127 | 339 | Semicircle handle | SAE Internal Thread | Replacement for Purezone polyspun cartridge | O250 | | |
| Onga BR6000 / LCF60 | 185 | 493 | 75mm hole | 75mm hole | | ON60 | | 92960 |
| Onga BR9000 / LCF90 | 185 | 493 | 75mm hole | 75mm hole | | ON90 | | 92961 |
| Onga C075 PWL Compact (PCFII) | 185 | 493 | 75mm hole | 75mm hole | | ONC075 | | 99099 |
| Onga C100 PWL Compact (PCFII) | 185 | 493 | 75mm hole | 75mm hole | | ONC100 | | 99100 |
| Onga C150 PWL Compact (PCFII) | 185 | 744 | 75mm hole | 75mm hole | | ONC150 | | 99101 |
| Onga C200 PWL Compact (PCFII) | 185 | 744 | 75mm hole | 75mm hole | | ONC200 | | 99102 |
| Onga C25 | 177 | 250 | 76mm hole | 76mm hole | | ON25 | | |
| Onga FCP6000 | 185 | 484 | 76mm hole | 76mm hole | | ON6000 | | 97380 |
| Onga FCP9000 | 185 | 484 | 76mm hole | 76mm hole | | ON9000 | | |
| Onga PCF100 | 185 | 744 | 75mm hole | 75mm hole | | ON100 | | 92967 |
| Onga PCF50 | 185 | 370 | 75mm hole | 75mm hole | | ON50 | | |
| Onga PCF60 | 185 | 370 | 75mm hole | 75mm hole | | ONP60 | | 97376 |
| Onga PCF75 | 185 | 493 | 75mm hole | 75mm hole | | ON75 | | 92959 |
| Orbit 25 | 129 | 233 | 54mm hole | 54mm hole | Arcadia | OB25 | | |
| Pampa 25 | 155 | 240 | 44mm hole | 50mm hole | | PM25 | | |
| Para HC50 | 205 | 370 | 97mm hole | 97mm hole | | PA50H | | |
| Paradise C50 | 253 | 280 | 140mm hole | 140mm hole | | PD50 | | |
| Paradise C80 | 253 | 512 | 140mm hole | 140mm hole | | PD80 | | |
| Paramount Opal - See Waterco Opal | | | | | | | | |
| Pentair - See Onga | | | | | | | | |
| Pentair Clean & Clear Plus 240 | 177 | 359 | 76mm hole | 76mm hole | 4 required | PE240 | R173572 | C-7469 |
| Pentair Clean & Clear Plus 320 - See Waterway Crystal Water 325 | | | | | | | | |
| Pentair Clean & Clear Plus 360 | 177 | 508 | 76mm hole | 76mm hole | 4 required | PE360 | R173574 | C-7476 |
| Pentair Clean & Clear Plus 420 - See Waterway Crystal Water 425 | | | | | | | | |
| Pentair Clean & Clear Plus 520 - See Waterway Crystal Water 525 | | | | | | | | |
| Polyline C13 | 115 | 218 | 50mm hole | 50mm hole | | PY13 | | |
| Poolquip P100 | 185 | 493 | 75mm hole | 75mm hole | | PQ100 | | |
| Poolquip P150 | 185 | 744 | 75mm hole | 75mm hole | | PQ150 | | |
| Poolquip P50 | 185 | 370 | 75mm hole | 75mm hole | | PQ50 | | |
| Poolquip P75 | 185 | 493 | 75mm hole | 75mm hole | | PQ75 | | |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|-------------------------------|------------------|--------|--------------------------------|---------------------------------|----------|------------|---------|-----------|
| Poolrite CL100LP | 185 | 713 | 74 OD, 56 ID Male slip fitting | 75mm hole | | PR100 | 21960 | |
| Poolrite CL30 | 185 | 266 | 74 OD, 56 ID Male slip fitting | 75mm hole | | PR30 | 21956 | |
| Poolrite CL50LP | 185 | 266 | 74 OD, 56 ID Male slip fitting | 75mm hole | | PR50 | 21968 | |
| Poolrite CL55 | 185 | 490 | 74 OD, 56 ID Male slip fitting | 75mm hole | | PR55 | 21958 | |
| Poolrite CL75LP | 185 | 490 | 74 OD, 56 ID Male slip fitting | 75mm hole | | PR75 | 21970 | |
| Poolrite CL80 | 185 | 713 | 74 OD, 56 ID Male slip fitting | 75mm hole | | PR80 | | |
| Poolrite Enduro EC100 | 185 | 548 | 75mm hole | 75mm hole | | PR100E | 21981 | |
| Poolrite Enduro EC150 | 185 | 727 | 75mm hole | 75mm hole | | PR150E | 21983 | |
| Poolrite Enduro EC50 | 185 | 370 | 75mm hole | 75mm hole | | PR50E | 21980 | |
| Poolrite Enduro EC75 | 185 | 370 | 75mm hole | 75mm hole | | PR75E | 21981 | |
| Poolrite Water Miser 110 | 230 | 293 | 102mm hole | 101 OD, 49 ID Male slip fitting | | PR110 | 21962 | |
| Poolrite Water Miser 130 | 230 | 369 | Castle top | Male slip fitting | | PR130 | 21964 | |
| Poolrite Watermiser 200 Lower | 295 | 295 | 100mm hole | Cone with 60mm hole | | PR200L | 21966 | |
| Poolrite Watermiser 200 Upper | 295 | 355 | Closed castle top | Cone with 60mm hole | | PR200U | 21965 | |
| Poolstore Bowman C07100 | 177 | 705 | Moulded knob handle | Moulded cone adaptor | | BM100 | | |
| Poolstore Bowman C07110 | 177 | 745 | Moulded knob handle | Moulded cone adaptor | | BM110 | | |
| Poolstore Bowman C07130 | 177 | 705 | Moulded knob handle | Moulded cone adaptor | | BM130 | | |
| Poolstore Bowman C07145 | 177 | 745 | Moulded knob handle | Moulded cone adaptor | | BM145 | | |
| Poolstore Bowman C0740 | 177 | 455 | Moulded knob handle | Moulded cone adaptor | | BM40 | | |
| Poolstore Bowman C0755 | 177 | 455 | Moulded knob handle | Moulded cone adaptor | | BM55 | | |
| Poolstore Bowman C0760 | 177 | 495 | Moulded knob handle | Moulded cone adaptor | | BM60 | | |
| Poolstore Bowman C0780 | 177 | 455 | Moulded knob handle | Moulded cone adaptor | | BM80 | | |
| Poolstore Bowman C0785 | 177 | 495 | Moulded knob handle | Moulded cone adaptor | | BM85 | | |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|-------------------------------------|------------------|--------|-------------------------------|-----------------------------|---|------------|-------------------------------|-----------|
| Pride Pumps DPP50 | 127 | 318 | 36mm OD Male slip fitting | 48mm OD Male slip fitting | | PP50 | | |
| Questa - See Davey Series 3000 | | | | | | | | |
| Quiptron C464 | 185 | 370 | 75mm hole | 75mm hole | | QU464 | | |
| Quiptron C696 | 185 | 493 | 75mm hole | 75mm hole | | QU696 | | |
| Quiptron C696 Old Style | 185 | 744 | 75mm hole | 75mm hole | | QU696OS | | |
| Quiptron C929 | 185 | 744 | 75mm hole | 75mm hole | | QU929 | | |
| Rainbow Leaf Trap 25 | 125 | 338 | Closed | 54mm hole | | RD26 | 17-2653 | C-4321 |
| Rainbow RDC10 | 126 | 117 | 54mm hole | 54mm hole | | RA10 | 17-2482 | C-4401 |
| Rainbow RDC25 | 125 | 338 | 54mm hole | 54mm hole | | RA25 | 17-2325 | C4326 |
| Rainbow RDC30 | 126 | 167 | 54mm hole | 54mm hole | | RA30 | 17-2464 | C-4405 |
| Rainbow RDC35 | 125 | 233 | 54mm hole | 54mm hole | | RD35 | | C-8335 |
| Rainbow RDC50M | 125 | 338 | 54mm hole | 54mm hole | Antimicrobial Media | RD50M | | |
| Rainbow RDC50 | 125 | 338 | 54mm hole | 54mm hole | | RD50 | 17-2380 | C-4950 |
| Rainbow RTL100 | 125 | 678 | 54mm hole | 54mm hole | | RA100 | 17-2633 | C-4999 |
| Rainbow RTL75 | 125 | 510 | 54mm hole | 54mm hole | | RA75 | 17-2632 | C-4975 |
| Rainbow Top Load 45 | 135 | 258 | 54mm hole | 54mm hole | | DF45 | 817-0014 | C-5345 |
| Rainbow, Waterways, CMP top Load 35 | 130 | 235 | 54mm hole | 54mm hole | | RD35 | 817-3501, 17-3501, 5393 | C-4335 |
| Rising Dragon - See O2 Spas | | | | | | | | |
| Saratoga Spas - See Top Load | | | | | | | | |
| Sensation Spas Skim | 143 | 204 | Semicircle handle | 54mm extended SAE thread | | SE45 | | |
| Signature 25 Skim | 143 | 223 | Open (with lugs) | 49mm SAE thread | To fit with Nature2 stick | SG25 | RFIL15025S | |
| Signature 50 Skim | 143 | 223 | Semicircle handle | 49mm SAE thread | | SG50 | RFIL15050S | |
| Signature C100 / Swim Spa - Bottom | 143 | 223 | 54mm hole with raised section | 49mm SAE thread | combined with top makes 2 per set. 460mm overall | SG100 | RFIL15050F | |
| Signature C100 / Swim Spa - Top | 143 | 223 | Semicircle handle | Male slip fitting with lugs | combined with bottom makes 2 per set. 460mm overall | SG100 | RFIL15050M | |
| Snug Tub | 94 | 235 | Semicircle handle | Male slip fitting | | SN30 | | |
| Soft Tub 20 | 118 | 171 | Moulded cone handle | 46mm MPT thread | | CH20 | PVT 25 | 4CH-20 |
| Soft Tub Top Load | 178 | 140 | Semicircle handle | 59mm MPT thread | | SA50 | | |
| Soft Tub Top Load C25 | 143 | 140 | Semicircle handle | 46mm MPT thread | Original is 152mm dia. | ST25 | 90-802 | 6CH-25 |
| Sonfarrel / Martec | 125 | 377 | 54mm hole | 54mm hole | (Fits Leisurerite) | SO45 | | C-4305 |
| Sonfarrel Special | 129 | 367 | 54mm hole | 54mm hole | | SO40S | | |
| Sovereign Spas Skim | 143 | 204 | Closed | 46mm MPT thread | | SV50 | | |
| Spa 2 Go | 115 | 197 | 54mm hole | 54mm hole | | S2G | | |
| Spa International External | 127 | 223 | Semicircle handle | 49mm SAE thread | | SIE | | |



Dimension Chart by MAKE AND MODEL

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|--|------------------|--------|---------------------|--------------------|--|------------|-------------|-----------------|
| Spa International Internal | 127 | 254 | Semicircle handle | 45mm female thread | | SII | | |
| Spa International Slip Fit (old style) | 127 | 249 | Semicircle handle | 54mm hole | | SIS | | |
| Spa n a Box | 70 | 123 | 27mm hole | 27mm hole | | SB3 | | C-2305 |
| Spa Systems C50 | 152 | 263 | 50mm hole | 50mm hole | | SS50 | | |
| Spaquip C500 | 185 | 370 | 75mm hole | 75mm hole | | SQ500 | Q2225 | |
| Spaquip C50 Compact | 157 | 300 | 50mm hole | 50mm hole | | SQ50C | | |
| Spaquip Compact C75 | 157 | 452 | 50mm hole | 50mm hole | | SQ75C | | |
| Spa-Quip Lock Ring C100 | 185 | 727 | 75mm hole | 75mm hole | | SQ1000 | | |
| Spaquip Lock Ring CF75 | 185 | 548 | 75mm hole | 75mm hole | | SQ75 | | |
| Spaquip Series 1000 C40 | 143 | 135 | 53mm hole | 53mm hole | 2 per set. 270mm total | SQ401 | Q1033 | |
| Spaquip Series 1000 C50 | 143 | 300 | 52mm hole | 52mm hole | | SQ501 | Q1031 | |
| Spaquip Series 1000 C75 | 143 | 448 | 52mm hole | 52mm hole | | SQ751 | Q-1032 | |
| Spaquip Series 2000 C100 | 185 | 548 | 75mm hole | 75mm hole | | SQ1002 | Q2227 | |
| Spaquip Series 2000 C150 | 185 | 727 | 75mm hole | 75mm hole | | SQ1502 | Q2228 | |
| Spaquip Series 2000 C50 | 185 | 370 | 75mm hole | 75mm hole | | SQ502 | Q2225 | |
| Spaquip Series 2000 CF75 | 185 | 370 | 75mm hole | 75mm hole | | SQ752 | Q2226 | |
| Spaquip Series 3000 CF1000 | 230 | 372 | 102mm hole | 102mm hole | | SQ1003 | Q2382 | Q2312 |
| Spaquip Series 3000 CF1500 | 230 | 565 | 102mm hole | 102mm hole | | SQ1503 | Q2382 | Q2313 |
| Spaquip Series 3000 CF500 | 208 | 280 | 102mm hole | 102mm hole | | SQ503 | Q2380 | Q2310 |
| Spaquip Series 3000 CF750 | 230 | 274 | 102mm hole | 102mm hole | | SQ753 | Q2381 | Q2311 |
| Spa-Quip SQ100 (set of 2) | 143 | 226 | 53mm hole | 53mm hole | 2 x SQ50 combines to make SQ100 Joined with metal clip | SQ100 | Q1259 | |
| Spa-Quip SQ50 | 143 | 227 | 53mm hole | 53mm hole | | SQ50 | Q1259 | |
| Spaquip Top Load Wide Mouth Skimmer) (fits | 143 | 223 | Semicircle handle | 49mm SAE thread | | WM50 | Q1205 | |
| Sta-Rite / Swimquip Posi-Clean TXC75 | 178 | 740 | Open | Open | | SR-TXC75 | | C-7677 |
| Sta-Rite PXC-125 | 227 | 716 | 102mm hole | 102mm hole | | SR125 | 25230-0125S | C-8413 |
| Sta-Rite PXC-150 | 227 | 716 | 102mm hole | 102mm hole | | SR150 | 25230-0150S | C-8416 |
| Sta-Rite PXC-75 | 227 | 441 | 102mm hole | 102mm hole | | SR75 | 25230-0075S | C-8411 |
| Sta-Rite PXC-95 | 227 | 441 | 102mm hole | 102mm hole | | SR95 | 25230-0095S | C-8409 |
| Stern Flow 10sq ft | 145 | 117 | Closed | 40mm hole | | SN10 | | |
| Stern Flow 15sq ft | 145 | 117 | Closed | 40mm hole | | SN15 | | |
| Strong Industries 20 | 118 | 172 | Moulded cone handle | 49mm SAE thread | Futura Spas | SR20 | | PSANT20 4CH-925 |
| Stroud CF 75 SD | 185 | 493 | 77mm hole | 77mm hole | | SD75 | S3950410 | |
| Stroud CF100 SD | 185 | 744 | 77mm hole | 77mm hole | | SD100 | S3950510 | |
| Stroud CF100 SHD | 185 | 548 | 77mm hole | 77mm hole | | SHD100 | S7020421 | |
| Stroud CF150 SD | 185 | 493 | 77mm hole | 77mm hole | Requires 2 x CF75SD | SD150 | S3950410 | |
| Stroud CF150 SHD | 185 | 727 | 77mm hole | 77mm hole | | SHD150 | S7020521 | |
| Stroud CF50 SD | 185 | 493 | 77mm hole | 77mm hole | | SD50 | S3950310 | |
| Stroud CF50 SHD | 185 | 370 | 77mm hole | 77mm hole | | SHD75 | S7020321 | |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|--------------------------------|------------------|--------|-----------------------------|-------------------|---|------------|----------------------------|-----------|
| Stroud CF75 SHD | 185 | 370 | 77mm hole | 77mm hole | | SHD50 | S7020221 | |
| Stroud P4 CF100 | 185 | 493 | 75mm hole | 75mm hole | | P4100 | S6322 | |
| Stroud P4 CF150 | 185 | 744 | 75mm hole | 75mm hole | | P4150 | S6323 | |
| Stroud P4 CF75 | 185 | 493 | 75mm hole | 75mm hole | | P475 | 56321 | |
| Sundance C100 (Economy) | 214 | 468 | Castle Top | 63mm beveled hole | Measured to top of castle | SU100 | | |
| Sundance C120 | 214 | 468 | Castle top | 63mm beveled hole | Measured to top of castle | SU120 | 6540-482 | C-8320 |
| Sundance C125 3 Step Universal | 214 | 451 | Closed 3 step | 63mm beveled hole | Measured to first lowest part of 3 step | SU125 3S | 6540-490 | C-8325 |
| Sundance C125 Slip Fit | 214 | 483 | Male slip fitting | 63mm beveled hole | Replacement for Microclean + SU80 | SU125 | 6540-488 | C8326 |
| Sundance C65 | 190 | 380 | Castle top | 67mm hole | Measured to top of castle | SU65 | 6540-481 | C-7466 |
| Sundance C80 | 214 | 355 | Closed with 59mm SAE thread | 63mm beveled hole | For use with Microclean filter | SU80 | 6540-501 | C-8380 |
| Sundance C90 | 178 | 480 | 46mm MPT thread | 63mm beveled hole | | SU90 | 6540-487 | 7CH-90 |
| Sunflow SF1000 (Discontinued) | 145 | 110 | Closed | 38mm hole | | SF1000 | | |
| Sunflow SF1500 | 145 | 117 | Closed | 38mm hole | | SF1500 | | |
| Sunflow SF3000 | 145 | 272 | Closed | 38mm hole | | SF3000 | | |
| Sunflow SF5000 | 145 | 272 | Closed | 38mm hole | | SF5000 | | |
| Sunflow SF5000 Old Style | 145 | 410 | Closed | 38mm hole | | SF5000OS | | |
| Sunflow SF7500 Compact | 145 | 410 | Closed | 38mm hole | | SF7500 | | |
| Sunrise Spas 25 | 152 | 140 | Semicircle handle | 46mm MPT thread | | SR25 | | 6CH-25 |
| Sunrise Spas 36 | 152 | 203 | Semicircle handle | 46mm MPT thread | | SR36 | | 6CH-49 |
| Swimplex 250 | 235 | 688 | 74mm hole | 74mm hole | | SP250 | | |
| Swimquip - See Sta-Rite | | | | | | | | |
| Teledyne 50 | 144 | 264 | Closed | 54mm hole | | TE50 | | C5302 |
| Top Load 13 | 118 | 118 | Moulded cone handle | 46mm MPT thread | Saratoga Spas | CH13 | | 4CH-19 |
| Top Load 19 | 118 | 203 | Moulded cone handle | 46mm MPT thread | | CH19 | PVT 25N | 4CH-21 |
| Top Load 20 | 118 | 171 | Moulded cone handle | 46mm MPT thread | | CH20 | PVT 25 | 4CH-20 |
| Top Load 25 | 118 | 247 | Moulded cone handle | 46mm MPT thread | | CH25 | | 4CH-24 |
| Top Load 30 | 118 | 301 | Moulded cone handle | 46mm MPT thread | | CH30 | 1561-14, 74407-98, 654-484 | 4CH-30 |
| Top Load 35 | 118 | 406 | Moulded cone handle | 46mm MPT thread | | CH35 | | 4CH-35 |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|---|------------------|--------|-------------------|----------------------|------------------------|------------------|-------------------|-----------|
| Top Load, Coleman Spas, Vita Spas 40 | 178 | 247 | Semicircle handle | 46mm MPT thread | | CH40 | 100433, 3301-1019 | 7CH-40 |
| Top Load, Coleman Spas, Vita Spas 50 | 178 | 374 | Semicircle handle | 46mm MPT thread | | CH50 | 100434, PVT50 | 7CH-50 |
| Universal - 4sq ft | 70 | 191 | 27mm hole | 27mm hole | | UN4 | | |
| Universal Harmsco, Onga 12sq ft | 70 | 446 | 27mm hole | 27mm hole | | UN12 | | |
| Universal, Para, Harmsco, Onga 6sq ft Cuno 9 3/4" (1,5,20 & 50 micron) | 70 | 244 | 27mm hole | 27mm hole | | PA1800 CU10?? | | C-2306 |
| Vita Spas 25 | 118 | 191 | Closed | 46mm MPT thread | Top Load | CH19 | PVT25N | PVT25N |
| Vita Spas 50 | 216 | 184 | 48mm hole | 60mm hole with slots | | VS50 | | C-8350 |
| Vita Spas 502 | 216 | 184 | Semicircle handle | 59mm MPT thread | | VS502 | PVT50WH | 8CH-502 |
| Waterco Fulflo 180 | 305 | 440 | 78mm hole | 78mm hole | | WA180F | 62283 | |
| Waterco Fulflo 90 | 305 | 230 | 78mm hole | 78mm hole | | WA90F | 62281 | |
| Waterco Fulflo Tri Series 100 | 155 | 794 | 50mm hole | 50mm hole | 3 per set. Makes TC300 | WA100F | 622810 | |
| Waterco Fulflo Tri Series 134 | 155 | 794 | 50mm hole | 50mm hole | 3 per set. Makes TC400 | WA134F | 622820 | |
| Waterco Fulflo Tri Series 167 | 155 | 794 | 50mm hole | 50mm hole | 3 per set. Makes TC500 | WA167F | 622830 | |
| Waterco Multi Cyclone C40 | 160 | 197 | 53mm hole | 53mm hole | | WA40MC | 62451 | |
| Waterco Multi Cyclone C75 | 160 | 380 | 53mm hole | 53mm hole | | WA75MC | 62453 | |
| Waterco Opal 120 | 255 | 430 | 75mm hole | 75mm hole | Pre 2006 OD was 262 | WA120 | 701033 | |
| Waterco Opal 135 | 255 | 430 | 75mm hole | 75mm hole | Pre 2006 OD was 262 | WA135 | 701039 | |
| Waterco Opal 150 | 255 | 430 | 75mm hole | 75mm hole | Pre 2006 OD was 262 | PO150 | 701034 | |
| Waterco Opal 180 | 255 | 430 | 75mm hole | 75mm hole | Pre 2006 OD was 262 | WA180 | 701038 | |
| Waterco Opal 90 | 255 | 212 | 75mm hole | 75mm hole | Pre 2006 OD was 262 | WA90 | | |
| Waterco Top Load 50 | 129 | 334 | 54mm hole | 54mm hole | | WA50N | 62010 | |
| Waterco Top Load 75 | 129 | 602 | 54mm hole | 54mm hole | | WA75N | 62009 | |
| Waterco Top Load CC25 | 129 | 334 | 54mm hole | 54mm hole | | WA25N | | |
| Waterco Trimline C25 | 185 | 244 | 77mm hole | 77mm hole | | WA25 | 62040 | |
| Waterco Trimline C50 | 185 | 493 | 77mm hole | 77mm hole | | WA50 | 62042 | |
| Waterco Trimline C75 | 185 | 744 | 77mm hole | 77mm hole | | WA75 | 62044 | |
| Waterco Trimline CC100 | 185 | 744 | 77mm hole | 77mm hole | | WA100C | 62050 | |
| Waterco Trimline CC50 | 185 | 370 | 77mm hole | 77mm hole | | WA50C | 62048 | |
| Waterco Trimline CC75 | 185 | 493 | 77mm hole | 77mm hole | | WA75C | 62049 | |
| Waterway Clearwater II 100 | 227 | 441 | 102mm hole | 102mm hole | | WW100CW | 817-0100N | C-8409 |
| Waterway Clearwater II 125 | 227 | 592 | 102mm hole | 102mm hole | | WW125CW | 817-0125N | C-8412 |
| Waterway Clearwater II 150 | 227 | 592 | 102mm hole | 102mm hole | | WW150CW | 817-0150N | C-8414 |
| Waterway Clearwater II 200 | 227 | 592 | 102mm hole | 102mm hole | | WW200CW | 817-0200N | C-8419 |
| Waterway Clearwater II 75 | 227 | 441 | 102mm hole | 102mm hole | | WW75CW | 817-0075N | C-8411 |



Dimension Chart by **MAKE AND MODEL**

| PRODUCT NAME | OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|-------------------------------|------------------|--------|-------------------|-----------------|---|------------------|----------------------|-----------|
| Waterway Pro Clean 100 | 227 | 441 | 102mm hole | 102mm hole | | WW100PC | 817-0100P | C-8409 |
| Waterway Pro Clean 125 (8412) | 227 | 592 | 102mm hole | 102mm hole | | WW125PC 8412 | 817-0125N | C-8412 |
| Waterway Pro Clean 125 (8413) | 227 | 716 | 102mm hole | 102mm hole | | WW125PC 8413 | 817-0125P | C-8413 |
| Waterway Pro Clean 150 (8414) | 227 | 592 | 102mm hole | 102mm hole | | WW150PC 8414 | 817-0150N | C-8414 |
| Waterway Pro Clean 150 (8416) | 227 | 716 | 102mm hole | 102mm hole | | WW150 PC 8416 | 817-0150P | C-8416 |
| Waterway Pro Clean 175 | 227 | 716 | 102mm hole | 102mm hole | | WW175PC | 817-0175P | C-8417 |
| Waterway Pro Clean 200 | 227 | 716 | 102mm hole | 102mm hole | | WW200PC | 817-0200P | C-8420 |
| Waterway Pro Clean 75 | 227 | 441 | 102mm hole | 102mm hole | | WW75PC | 817-0075P | C-8411 |
| Waterway Toap Load 40 | 129 | 286 | 54mm hole | 54mm hole | | WW40 | 817-0040 | C-4339 |
| Waterway 25 Skim | 143 | 204 | Semicircle handle | 49mm SAE thread | | WW25S | | |
| Waterway 40 | 125 | 286 | 54mm hole | 54mm hole | | WW40 | 817-0040 | C-4339 |
| Waterway 50 Skim (Aus/NZ) | 143 | 204 | Semicircle handle | 49mm SAE thread | Original is 150mm diameter | WW50S | 817-0050 | 6CH-940 |
| Waterway 50 Skim (US/EU) | 152 | 205 | Semicircle handle | 49mm SAE thread | | WY45 | 817-0050 | 6CH-940 |
| Waterway 95 | 129 | 602 | 54mm hole | 54mm hole | | WW95N | 817-1000 | C-4995 |
| Waterway Crystal Water 325 | 177 | 508 | 76mm hole | 76mm hole | 4 x 80sq ft cartridges to make set | WW325 | 817-0081 | C-7470 |
| Waterway Crystal Water 425 | 177 | 662 | 76mm hole | 76mm hole | 4 x 105sq ft cartridges to make set | WW425 | 817-0106 | C-7471 |
| Waterway Crystal Water 525 | 177 | 814 | 76mm hole | 76mm hole | 4 x 125sq ft cartridges to make set | WW525 | 817-0131 | C-7472 |
| Waterway DSF35 | 126 | 117 | 54mm hole | 54mm hole | Set of 2. Combined height of 234mm | WW35D | 17-2482 | C-4401 |
| Waterway DSF50 | 126 | 167 | 54mm hole | 54mm hole | Set of 2. Combined height of 334mm | WW50D | 17-2464 | C-4405 |
| Waterway Dynaflo 50 | 135 | 380 | 54mm hole | 54mm hole | Pleat count 150, if filter paper is blue, code is DF50A | DF50 | | |
| Waterway Dynaflo 75 | 135 | 380 | 54mm hole | 54mm hole | Pleat count 214, if filter paper is blue, code is DF75A | DF75 | 817-0015 | C-5374 |
| Waterway Top Load 45 | 135 | 240 | 54mm hole | 54mm hole | | DF45 | 817-0014 | C-5345 |
| Waterway Top Load 50 | 129 | 334 | 54mm hole | 54mm hole | | WW50N | 817-5000 | C-4950 |
| Waterway Top Load 50 Skim | 150 | 204 | Semicircle handle | 49mm SAE thread | | WY45 | 817-0050 | 6CH-940 |
| Waterway/ Rainbow top Load 45 | 135 | 257 | 54mm hole | 54mm hole | | DF45 | R173584, 817-0014 | C-5345 |
| Wright Spas | 205 | 455 | 97mm hole | 97mm hole | | WS | | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|---------------------|-------------------|--|----------------------------|------------------|----------------------------------|-----------|
| 70 | 85 | 27mm hole | 27mm hole | Intex E | Original is 77mm diameter | INE2 | Type E, 58602 | C-3302 |
| 70 | 123 | 27mm hole | 27mm hole | Spa n a Box | | SB3 | | C-2305 |
| 70 | 191 | 27mm hole | 27mm hole | Universal - 4sq ft | | UN4 | | |
| 70 | 244 | 27mm hole | 27mm hole | Universal, Para,Harmsco, Onga 6sq ft Cuno 9 3/4" (1,5,20 & 50 micron) | | PA1800 CU10?? | | C-2306 |
| 70 | 244 | 27mm hole | 27mm hole | Universal, Para,Harmsco, Onga 6sq ft Cuno 9 3/4" (1,5,20 & 50 micron) | | PA1800 CU10?? | 1561-14, 74407-98, 654-484 | 4CH-30 |
| 70 | 247 | 27mm hole | 27mm hole | MAGNUM 10" Standard Pleated (comes in 1,5,20 & 50 micron) | | ST10?? | | |
| 70 | 247 | 27mm hole | 27mm hole | MAGNUM 10" Standard Pleated (comes in 1,5,20 & 50 micron) | | ST10?? | 1561-14, 74407-98, 654-484 | 4CH-30 |
| 70 | 446 | 27mm hole | 27mm hole | Universal Harmsco, Onga 12sq ft | | UN12 | | |
| 70 | 446 | 27mm hole | 27mm hole | Universal Harmsco, Onga 12sq ft | | UN13 | | 4CH-35 |
| 94 | 235 | Semicircle handle | Male slip fitting | Snug Tub | | SN30 | | |
| 94 | 235 | Semicircle handle | Male slip fitting | Snug Tub | | SN31 | 17-2482 | C-4401 |
| 96 | 182 | 54 hole | 54 hole | Master Spas 10 (Eco-pur) | Antimicrobial Media | MA10 | 17-2482 | C-4401 |
| 110 | 95 | 50mm hole | 50mm hole | Krystal Clear 4 / Sand n Sun | | KC4 | | |
| 110 | 204 | 50mm hole | 50mm hole | Krystal Clear, Intex A | | KC8 | Type A or C | C-4607 |
| 113 | 243 | 25mm hole | 25mm hole | MAGNUM 10" Jumbo Pleated (comes in 1,5,20 & 50 micron) | | JU10?? | | |
| 113 | 505 | 25mm hole | 25mm hole | MAGNUM 20" Jumbo Pleated (comes in 1,5,20 & 50 micron) | | JU20?? | | |
| 115 | 95 | 54mm hole | 54mm hole | Coast Spa | | CS7 | | C-4310 |
| 115 | 130 | 50mm hole | 50mm hole | Bestways | | BW5 | | |
| 115 | 197 | 54mm hole | 54mm hole | Spa 2 Go | | S2G | | |
| 115 | 218 | 50mm hole | 50mm hole | Polyline C13 | | PY13 | | |
| 115 | 297 | 54mm hole | 54mm hole | Hayward 200/225 | | HW225 | CX225RE | C-4325 |
| 118 | 385 | Semicircle handle | 45mm SAE thread | Dimension One C36 | Original is 117mm diameter | DI36 | 1561-13 | 4CH-940 |
| 118 | 385 | Semicircle handle | 40mm MPT thread | La Spa 36 | Original is 117mm diameter | LA36 | | 4CH-50 |
| 118 | 118 | Moulded cone handle | 46mm MPT thread | Top Load 13 Saratoga Spas | | CH13 | | 4CH-19 |
| 118 | 171 | Moulded cone handle | 49mm SAE thread | Strong Industries 20 | Futura Spas | SR20 | PSANT20 | 4CH-925 |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|---------------------|-----------------|--|------------------------------------|------------|----------------------------------|-----------|
| 118 | 171 | Moulded cone handle | 46mm MPT thread | Soft Tub / Top Load 20 | | CH20 | PVT 25 | 4CH-20 |
| 118 | 191 | Closed | 46mm MPT thread | Vita Spa Top Load 25 | | CH19 | PVT25N | PVT25N |
| 118 | 203 | Moulded cone handle | 46mm MPT thread | Top Load 19 | | CH19 | PVT 25N | 4CH-21 |
| 118 | 247 | Moulded cone handle | 46mm MPT thread | Top Load 25 | | CH25 | | 4CH-24 |
| 118 | 301 | Moulded cone handle | 46mm MPT thread | Top Load 30 | | CH30 | 1561-14, 74407-98, 654-484 | 4CH-30 |
| 118 | 406 | Moulded cone handle | 46mm MPT thread | Top Load 35 | | CH35 | | 4CH-35 |
| 125 | 286 | 54mm hole | 54mm hole | Waterway 40 | | WW40 | 817-0040 | C-4339 |
| 125 | 338 | Open | Open | Artic Spas RD50M | | RD50M | | |
| 125 | 338 | Closed | 54mm hole | Rainbow Leaf Trap 25 | | RD26 | 17-2653 | C-4321 |
| 125 | 168 | 54mm hole | 54mm hole | Freeflow Spas TLX / RLX | | CH22 | | 4CH-22 |
| 125 | 233 | 54mm hole | 54mm hole | Orbit 25 | | OB25 | | |
| 125 | 233 | 54mm hole | 54mm hole | Rainbow RDC35 | | RA35 | | C-8335 |
| 125 | 286 | 54mm hole | 54mm hole | Waterway Toap Load 40 | | WW40 | 817-0040 | C-4339 |
| 125 | 338 | 54mm hole | 54mm hole | Rainbow RDC25 | | RA25 | 17-2325 | C4326 |
| 125 | 338 | 54mm hole | 54mm hole | Rainbow RDC50 | | RA50 | 17-2380 | C-4950 |
| 125 | 338 | 54mm hole | 54mm hole | Waterco Top Load 50 | | WA50N | 62010 | |
| 125 | 338 | 54mm hole | 54mm hole | Waterco Top Load CC25 | | WA25N | | |
| 125 | 338 | 54mm hole | 54mm hole | Waterways Top Load 50 | | WW50N | 817-5000 | C-4950 |
| 125 | 367 | 54mm hole | 54mm hole | Son Farrel Special | | SO40S | | |
| 125 | 377 | 54mm hole | 54mm hole | Son Farrel Martec | (Fits Leisurerite) | SO45 | | |
| 125 | 436 | 54mm hole | 54mm hole | Leisurite C50 | | LR50 | | |
| 125 | 510 | 54mm hole | 54mm hole | Rainbow RTL75 | | RA75 | 17-2632 | C-4975 |
| 125 | 602 | 54mm hole | 54mm hole | Waterco Top Load 75 | | WA75N | 62009 | |
| 125 | 602 | 54mm hole | 54mm hole | Waterways 95 | | WW95N | 817-1000 | C-4995 |
| 125 | 602 | 54mm hole | 54mm hole | Waterways 75 | | WW75N | 817-7500 | C-4970 |
| 125 | 676 | 54mm hole | 54mm hole | Rainbow RTL100 | | RA100 | 17-2633 | C-4999 |
| 125 | 235 | 54mm hole | 54mm hole | Rainbow, Waterways, CMP top Load 35 | | RD35 | 817-3501, 17-3501, 5393 | C-4335 |
| 126 | 117 | 54mm hole | 54mm hole | Waterways DSF35 | Set of 2. Combined height of 234mm | WW35D | 17-2482 | C-4401 |
| 126 | 167 | 54mm hole | 54mm hole | Rainbow RDC30 | | RA30 | 17-2464 | C-4405 |
| 126 | 167 | 54mm hole | 54mm hole | Waterways DSF50 | Set of 2. Combined height of 334mm | WW50D | 17-2464 | C-4405 |
| 127 | 200 | Semicircle handle | 85mm MPT thread | LA Spa 45 with 85mm MPT thread | retro fit for bag filter | LA45-85 | | 5CH-203 |
| 127 | 223 | Semicircle handle | 49mm SAE thread | Spa International External | | SIE | | |
| 127 | 249 | Semicircle handle | 54mm hole | Spa International Slip Fit (old style) | | SIS | | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|---------------------------|---------------------------|---|---|------------|---------------------------|-----------|
| 127 | 254 | Semicircle handle | 45mm female thread | AAIM C40 | | AAIM | | |
| 127 | 254 | Semicircle handle | 45mm female thread | Spa International Internal | | SII | | |
| 127 | 257 | 54mm hole | 54mm hole | CMP50 | Antimicrobial Media | CMP50 | | |
| 127 | 318 | 36mm OD Male slip fitting | 48mm OD Male slip fitting | Pride Pumps DPP50 | | PP50 | | |
| 127 | 339 | Semicircle handle | SAE Internal Thread | O2 Spas | Replacement for Purezone polyspun cartridge | O225 | | |
| 127 | 339 | Semicircle handle | SAE Internal Thread | O2 / Escape / Rising Dragon / Arctic Spas C50 | Replacement for Purezone polyspun cartridge | O250 | | 4CH-949 |
| 132 | 273 | Semicircle handle | 59mm MPT thread | Del Sol Spas 40 | | DS40 | 6540-723 | 5CH-402 |
| 132 | 317 | Semicircle handle | 59mm MPT thread | Marquis Spa 35 | 35 sq ft | MA35 | 20042, 370-0242, 370-0243 | 5CH-352 |
| 132 | 317 | Semicircle handle | 59mm MPT thread | Marquis Spas / Cal Spas 50 | 50sq ft | MA50 | 20041, 370-0237 | 5CH-502 |
| 132 | 409 | Semicircle handle | 59mm MPT thread | Cal Spas 75 sq ft | | CAL75 | | 5CH-752 |
| 135 | 119 | Closed | 55mm hole | Finsbury Splasher 800 | | FB800 | | |
| 135 | 240 | 54mm hole | 54mm hole | Magnum 35 | | MF35 | | |
| 135 | 257 | 54mm hole | 54mm hole | Waterways/ Rainbow top Load 45 | | DF45 | R173584, 817-0014 | C-5345 |
| 135 | 380 | 54mm hole | 54mm hole | Waterways Dynaflo 50 | Pleat count 150, if filter paper is blue, code is DF50A | DF50 | | |
| 135 | 380 | 54mm hole | 54mm hole | Waterways Dynaflo 75 | Pleat count 214, if filter paper is blue, code is DF75A | DF75 | 817-0015 | C-5374 |
| 135 | 535 | 54mm hole | 54mm hole | Coast Spa C100 | | CS100 | | C-5396 |
| 135 | 754 | 54mm hole | 54mm hole | Coast Spa C135 | | CS135 | | C-5351 |
| 143 | 135 | 53mm hole | 53mm hole | Kiwi Spa C40 | 2 per set. 270mm total | SQ401 | | |
| 143 | 135 | 53mm hole | 53mm hole | Spaquip Series 1000 C40 | 2 per set. 270mm total | SQ401 | Q1033 | |
| 143 | 140 | Semicircle handle | 46mm MPT thread | Soft Tub Top Load C25 | Original is 152mm dia. | ST25 | 90-802 | 6CH-25 |
| 143 | 204 | Closed | 46mm MPT thread | Monarch Spas Skim | | MS50 | | |
| 143 | 204 | Closed | 46mm MPT thread | Sovereign Spas Skim | | SV50 | | |
| 143 | 204 | Open | 49mm SAE thread | Leisurerite C100 - Bottom | combined with top makes 2 per set. 421mm overall. | LR100 | 817-0012 | 6CH-942 |
| 143 | 204 | Semicircle handle | 46mm MPT thread | Elite Spas 35 | Elite Spas by Maax | EL35 | | 5CH-35 |
| 143 | 204 | Semicircle handle | 46mm MPT thread | LA Spa 45 | | LA45 | | 6CH-47 |
| 143 | 204 | Semicircle handle | Male slip fitting | Leisurerite C100 -Top | combined with bottom makes 2 per set. 421mm overall | LR100 | 817-0011 | 6ch-941 |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|-------------------------------|-----------------------------|--|--|------------|------------|-----------|
| 143 | 204 | Semicircle handle | 54mm extended SAE thread | Sensation Spas Skim | | SE45 | | |
| 143 | 204 | Semicircle handle | 49mm SAE thread | Waterways 25 Skim | | WW25S | | |
| 143 | 204 | Semicircle handle | 49mm SAE thread | Waterways 50 Skim | Original is 150mm diameter | WW50S | 817-0050 | 6CH-940 |
| 143 | 215 | Closed | 49mm SAE thread | Magnum 45 | | MF45 | | |
| 143 | 223 | 54mm hole with raised section | 49mm SAE thread | Signature C100 / Swim Spa - Bottom | combined with top makes 2 per set. 460mm overall | SG100 | RFIL15050F | |
| 143 | 223 | Open (with lugs) | 49mm SAE thread | Signature 25 Skim | To fit with Nature2 stick | SG25 | RFIL15025S | |
| 143 | 223 | Semicircle handle | 49mm SAE thread | Signature 50 Skim | | SG50 | RFIL15050S | |
| 143 | 223 | Semicircle handle | Male slip fitting with lugs | Signature C100 / Swim Spa - Top | combined with bottom makes 2 per set. 460mm overall | SG100 | RFIL15050M | |
| 143 | 223 | Semicircle handle | 49mm SAE thread | Spaquip Top Load (fits Wide Mouth Skimmer) | | WM50 | Q1205 | |
| 143 | 226 | 53mm hole | 53mm hole | Spa-Quip SQ100 (set of 2) | 2 x SQ50 combines to make SQ100 Joined with metal clip | SQ100 | Q1259 | |
| 143 | 227 | 53mm hole | 53mm hole | Spa-Quip SQ50 | | SQ50 | Q1259 | |
| 143 | 300 | 52mm hole | 52mm hole | Leisurerite 2000 | | SQ501 | | |
| 143 | 300 | 52mm hole | 52mm hole | Spaquip Series 1000 C50 | | SQ501 | Q1031 | |
| 143 | 300 | Semicircle handle | 46mm MPT thread | LA Spa Monaco 22 Jet | | LA22 | | 6CH-50 |
| 143 | 448 | 52mm hole | 52mm hole | Spaquip Series 1000 C75 | | SQ751 | Q-1032 | |
| 144 | 162 | Square handle | 58mm MPT thread | Fonteyn 105 | Orange endcaps Anti-microbial material | FT25M | 105 | |
| 144 | 176 | Closed | 46mm MPT Thread | Aqueous Spa | | AS25 | | |
| 144 | 176 | Closed | 49mm SAE thread | Blue Label Gemini 25 | | BL25 | | |
| 144 | 176 | Closed | 58mm MPT thread | JFC25 Jazzi Spa / Blue Label Hydrus | | JFC25 | | |
| 144 | 264 | Closed | 54mm hole | Teledyne 50 | | TE50 | | C-5302 |
| 144 | 264 | Closed | 54mm hole | Jacuzzi Whirlpool Bath 50 | top has string loop | JWB50 | | C-5300 |
| 145 | 110 | Closed | 38mm hole | Sunflow SF1000 (Discontinued) | | SF1000 | | |
| 145 | 117 | Closed | 40mm hole | Stern Flow 10sq ft | | SN10 | | |
| 145 | 117 | Closed | 40mm hole | Stern Flow 15sq ft | | SN15 | | |
| 145 | 117 | Closed | 38mm hole | Sunflow SF1500 | | SF1500 | | |
| 145 | 272 | Closed | 38mm hole | Sunflow SF3000 | | SF3000 | | |
| 145 | 272 | Closed | 38mm hole | Sunflow SF5000 | | SF5000 | | |
| 145 | 410 | Closed | 38mm hole | Sunflow SF5000 Old Style | | SF5000OS | | |
| 145 | 410 | Closed | 38mm hole | Sunflow SF7500 Compact | | SF7500 | | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|---------------------|--------------------------------|-------------------------------|------------------------|------------|---------------|-----------|
| 147 | 260 | 48mm hole | 48mm hole | Intex B | | IN20 | Type B, 59905 | C-5315 |
| 150 | 260 | 50mm hole | 50mm hole | Hot Springs C30 | Formally C25 | HS30 | 31489 | C-6430 |
| 152 | 140 | Semicircle handle | 46mm MPT thread | Sunrise Spas 25 | | SR25 | | 6CH-25 |
| 152 | 203 | Semicircle handle | 46mm MPT thread | Sunrise Spas 36 | | SR36 | | 6CH-49 |
| 152 | 204 | Semicircle handle | 49mm SAE thread | Waterways Top Load 50 Skim | | WY45 | 817-0050 | 6CH-940 |
| 152 | 263 | 50mm hole | 50mm hole | Spa Systems C50 | | SS50 | | |
| 155 | 240 | 44mm hole | 50mm hole | Pampa 25 | | PM25 | | |
| 155 | 794 | 50mm hole | 50mm hole | Waterco Fulflo Tri Series 100 | 3 per set. Makes TC300 | WA100F | 622810 | |
| 155 | 794 | 50mm hole | 50mm hole | Waterco Fulflo Tri Series 134 | 3 per set. Makes TC400 | WA134F | 622820 | |
| 155 | 794 | 50mm hole | 50mm hole | Waterco Fulflo Tri Series 167 | 3 per set. Makes TC500 | WA167F | 622830 | |
| 157 | 300 | 50mm hole | 50mm hole | Aquaswim C50 Compact | | AQ50C | | |
| 157 | 300 | 50mm hole | 50mm hole | Spaquip C50 Compact | | SQ50C | | |
| 157 | 452 | 50mm hole | 50mm hole | Aquaswim Compact C75 | | AQ75C | | |
| 157 | 452 | 50mm hole | 50mm hole | Spaquip Compact C75 | | SQ75C | | |
| 160 | 197 | 53mm hole | 53mm hole | Waterco Multi Cyclone C40 | | WA40MC | 62451 | |
| 160 | 380 | 53mm hole | 53mm hole | Waterco Multi Cyclone C75 | | WA75MC | 62453 | |
| 170 | 385 | Semicircle handle | 59mm SAE thread | Jacuzzi Premium 52 | | JP52 | 6540-476 | 6CH-960 |
| 173 | 234 | Moulded knob handle | 62 ID, 74 OD Male slip fitting | Nally Mono 25 | | NM25 | | |
| 173 | 250 | Moulded knob handle | 52 OD Moulded cone adaptor | Baker Hydro HM25 | | BH25 | 17-B1163 | C-7603 |
| 173 | 433 | Moulded knob handle | 73 OD Male slip fitting | Nally Mono 50 | | NM50 | | |
| 173 | 489 | 59mm hole | 52 OD Moulded cone adaptor | Baker Hydro HM150 Bottom | | BH150B | 17-B1168 | C-7408 |
| 173 | 489 | 59mm hole | 52 OD Moulded cone adaptor | Baker Hydro HM100 Bottom | | BH100B | 17B2071 | C-7607 |
| 173 | 489 | Moulded knob handle | 49mm hole | Baker Hydro HM100 Top | | BH100T | 17-B2071 | C-7607 |
| 173 | 489 | Moulded knob handle | 49mm hole | Baker Hydro HM150 Top | | BH150T | 17-B1168 | C-7408 |
| 173 | 489 | Moulded knob handle | 52 OD Moulded cone adaptor | Baker Hydro HM50 | | BH50 | 17-B2055 | C-7605 |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|---------------------|----------------------------|--------------------------------------|--------------------------------------|------------|----------|-----------|
| 173 | 742 | Moulded knob handle | 52 OD Moulded cone adaptor | Baker Hydro HM72 | | BH72 | 17-B2056 | C-7606 |
| 177 | 184 | 105mm hole | 105mm hole | Master Spas 30 | Micro filter 2002-2005 | MA30 | | C-7330 |
| 177 | 250 | 76mm hole | 76mm hole | Hayward Star-Clear C250 | | HW250 | CX250RE | C-7626 |
| 177 | 250 | 76mm hole | 76mm hole | Onga C25 | | ON25 | | |
| 177 | 300 | 76mm hole | 76mm hole | American Products Quantum 44 | 4 required to make 175sq ft | AQ44 | | C-7437 |
| 177 | 359 | 76mm hole | 76mm hole | Pentair Clean & Clear Plus 240 | 4 required | PE240 | R173572 | C-7469 |
| 177 | 360 | 76mm hole | 76mm hole | Hayward Easy Clear CX410RE | | HW410 | CX410RE | C-7442 |
| 177 | 360 | 76mm hole | 76mm hole | Hayward Swimclear CX470XRE | 4 required | HW470 | CX470XRE | C-7447 |
| 177 | 360 | 76mm hole | 76mm hole | Hayward Swimclear CX480XRE | 4 required | HW480 | CX480XRE | C-7458 |
| 177 | 455 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C0740 | | BM40 | | |
| 177 | 455 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C0755 | | BM55 | | |
| 177 | 455 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C0780 | | BM80 | | |
| 177 | 495 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C0785 | | BM85 | | |
| 177 | 495 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C0760 | | BM60 | | |
| 177 | 500 | 76mm hole | 76mm hole | Hayward Star-Clear C500 | | HW500 | CX500RE | C-7656 |
| 177 | 500 | 76mm hole | 76mm hole | Hayward Swimclear 3025 | 4 x 81sq ft cartridges to make set | HW3025 | CX580XRE | C-7483 |
| 177 | 508 | 76mm hole | 76mm hole | Waterways Crystal Water 325 | 4 x 80sq ft cartridges to make set | WW325 | 817-0081 | C-7470 |
| 177 | 508 | 76mm hole | 76mm hole | Pentair Clean & Clear Plus 360 | 4 required | PE360 | R173574 | C-7476 |
| 177 | 648 | 76mm hole | 76mm hole | Hayward Swimclear 4025 | 4 x 106 sq ft cartridges to make set | HW4025 | CX880XRE | C-7488 |
| 177 | 662 | 76mm hole | 76mm hole | Waterways Crystal Water 425 | 4 x 105sq ft cartridges to make set | WW425 | 817-0106 | C-7471 |
| 177 | 686 | 76mm hole | 76mm hole | Jandy CV340 | 4 required | JA340 | RO554500 | C-7549 |
| 177 | 686 | 76mm hole | 76mm hole | Jandy CV460 | 4 required | JA460 | RO554600 | C-7468 |
| 177 | 705 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C07100 | | BM100 | | |
| 177 | 705 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C07130 | | BM130 | | |
| 177 | 728 | 76mm hole | 76mm hole | Sta-Rite / Swimquip Posi-Clean TXC75 | | SR-TXC75 | | C-7677 |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|--------------------------------|---------------------------|--------------------------------------|--------------------------------------|------------|-------------------|-----------|
| 177 | 745 | 76mm hole | 76mm hole | Hayward Star-Clear C750 | | HW750 | CX750RE | C-7676 |
| 177 | 745 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C07110 | | BM110 | | |
| 177 | 745 | Moulded knob handle | Moulded cone adaptor | Poolstore Bowman C07145 | | BM145 | | |
| 177 | 814 | 76mm hole | 76mm hole | Waterways Crystal Water 525 | 4 x 125sq ft cartridges to make set | WW525 | 817-0131 | C-7472 |
| 177 | 833 | 76mm hole | 76mm hole | Hayward Swimclear 5025 | 4 x 131 sq ft cartridges to make set | HW5025 | CX1280XRE | C-7494 |
| 177 | 838 | 76mm hole | 76mm hole | Jandy CV580 | 4 required | JA580 | RO357900 | C-7482 |
| 178 | 140 | Semicircle handle | 59mm MPT thread | Soft Tub Top Load | | SA50 | | |
| 178 | 203 | Semicircle handle | 46mm MPT thread | Coleman Spas 32 | | CH32 | 100520, 3301-2109 | 7CH-32 |
| 178 | 205 | Semicircle handle | 59mm MPT thread | Artesian 32 | | AR32 | | 7CH-322 |
| 178 | 205 | Semicircle handle | 59mm MPT thread | Artesian 50 | | AR50 | | 6CH502 |
| 178 | 247 | Semicircle handle | 46mm MPT thread | Top Load, Coleman Spas, Vita Spas 40 | | CH40 | 100433, 3301-1019 | 7CH-40 |
| 178 | 248 | Semicircle handle | 59mm MPT thread | Coleman 402 | | CO402 | 3301-2110 | 7CH-402 |
| 178 | 267 | Semicircle handle | 49mm SAE thread | Dimension One 52 49mm | | D15249 | 1561-12 | 7CH-975 |
| 178 | 267 | Semicircle handle | 59mm MPT thread | Dimension One 52 59mm | | D15259 | 1561-10 | 7CH-552 |
| 178 | 364 | Semicircle handle | 59mm MPT thread | Coleman Spas 50 old | | CS50 | 100522, 3301-2111 | 7CH-502 |
| 178 | 364 | Semicircle handle | 59mm MPT thread | Dimension One Spas 75 | | D175 | 1561-02 | 7CH-752 |
| 178 | 374 | Semicircle handle | 67mm hole | Caldera 75 | | CA75 | 1019301 | C-7375 |
| 178 | 374 | Semicircle handle | 46mm MPT thread | Top Load, Coleman Spas, Vita Spas 50 | | CH50 | 100434, PVT50 | 7CH-50 |
| 178 | 480 | 46mm MPT thread | 63mm beveled hole | Sundance C90 | | SU90 | 6540-487 | 7CH-90 |
| 182 | 267 | 6mm hole with Y stands | 50mm hole with twist lock | Dimension One C75 TY | | D1-TY75 | 1561-00 | C-7367 |
| 185 | 176 | 77mm hole | 77mm hole | Emaux CF25 | | EM25 | 5050026 | |
| 185 | 223 | 75mm hole | 75mm hole | Filtermaster C25 | | FM25 | | |
| 185 | 244 | 75mm hole | 75mm hole | FPI C25 | | FP25 | | |
| 185 | 244 | 77mm hole | 77mm hole | Waterco Trimline C25 | | WA25 | 62040 | |
| 185 | 266 | 74 OD, 56 ID Male slip fitting | 75mm hole | Poolrite CL30 | | PR30 | 21956 | |
| 185 | 266 | 74 OD, 56 ID Male slip fitting | 75mm hole | Poolrite CL50LP | | PR50 | 21968 | |
| 185 | 358 | 77mm hole | 77mm hole | Emaux CF50 | | EM50 | 5050027 | |
| 185 | 370 | 75mm hole | 75mm hole | Aquaswim CF50 | | AQ50 | | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|--------------------------------------|--------------------------------------|----------------------------------|-----------|------------|----------|-----------|
| 185 | 370 | 75mm hole | 75mm hole | Davey Lock Ring C50 | | DV502 | 50050 | |
| 185 | 370 | 75mm hole | 75mm hole | Hurlcon QX50 | | HU50Q | | |
| 185 | 370 | 75mm hole | 75mm hole | Monarch Ecopure C75 | | MO75 | Q2226 | M9750 |
| 185 | 370 | 75mm hole | 75mm hole | Onga PCF50 | | ON50 | | |
| 185 | 370 | 75mm hole | 75mm hole | Onga PCF60 | | ONP60 | | 97376 |
| 185 | 370 | 75mm hole | 75mm hole | Poolquip P50 | | PQ50 | | |
| 185 | 370 | 75mm hole | 75mm hole | Poolrite Enduro EC50 | | PR50E | 21980 | |
| 185 | 370 | 75mm hole | 75mm hole | Poolrite Enduro EC75 | | PR75E | 21981 | |
| 185 | 370 | 75mm hole | 75mm hole | Quiptron C464 | | QU464 | | |
| 185 | 370 | 75mm hole | 75mm hole | Spaquip C500 | | SQ500 | Q2225 | |
| 185 | 370 | 75mm hole | 75mm hole | Spaquip Series 2000 C50 | | SQ502 | Q2225 | |
| 185 | 370 | 75mm hole | 75mm hole | Spaquip Series 2000 CF75 | | SQ752 | Q2226 | |
| 185 | 370 | 77mm hole | 77mm hole | Waterco Trimline CC50 | | WA50C | 62048 | |
| 185 | 370 | 77mm hole | 77mm hole | Stroud CF50 SHD | | SHD75 | S7020321 | |
| 185 | 370 | 77mm hole | 77mm hole | Stroud CF75 SHD | | SHD50 | S7020221 | |
| 185 | 370 | 77mm hole | 77mm hole | Jandy CT50 | | JA50 | AO103600 | C-7448 |
| 185 | 455 | 75mm hole | 75mm hole | Aquaswim CF150 | 2 per set | AQ150 | | |
| 185 | 455 | 75mm hole | 75mm hole | Davey Lock Ring C150 | 2 per set | DV150 | | |
| 185 | 477 | 75mm hole | 75mm hole | Filtermaster C50 | | FM50 | | |
| 185 | 484 | 76mm hole | 76mm hole | Onga FCP6000 | | ON6000 | | 97380 |
| 185 | 484 | 76mm hole | 76mm hole | Onga FCP9000 | | ON9000 | | |
| 185 | 484 | Closed | 60 OD, 55 ID Male slip fitting | Finsbury C50 | | FB50 | | |
| 185 | 484 | Closed | 60 OD, 55 ID Male slip fitting | Finsbury C75 | | FB75 | | |
| 185 | 490 | 74 OD, 56 ID Male slip fitting | 75mm hole | Poolrite CL55 | | PR55 | 21958 | |
| 185 | 490 | 74 OD, 56 ID Male slip fitting | 75mm hole | Poolrite CL75LP | | PR75 | 21970 | |
| 185 | 490 | Moulded knob handle | Male slip fitting | Nally Mono 75 | | NM75 | 1516 | |
| 185 | 493 | 75mm hole | 75mm hole | FPI C50 | | FP50 | | |
| 185 | 493 | 75mm hole | 75mm hole | Hurlcon GX100 | | HU100Q | 78083 | |
| 185 | 493 | 75mm hole | 75mm hole | Hurlcon QX75 | | HU75Q | | |
| 185 | 493 | 75mm hole | 75mm hole | Onga BR6000 / LCF60 | | ON60 | | 92960 |
| 185 | 493 | 75mm hole | 75mm hole | Onga BR9000 / LCF90 | | ON90 | | 92961 |
| 185 | 493 | 75mm hole | 75mm hole | Onga C075 PWL Compact (PCFII) | | ONC075 | | 99099 |
| 185 | 493 | 75mm hole | 75mm hole | Onga C100 PWL Compact (PCFII) | | ONC100 | | 99100 |
| 185 | 493 | 75mm hole | 75mm hole | Onga PCF75 | | ON75 | | 92959 |
| 185 | 493 | 75mm hole | 75mm hole | Poolquip P100 | | PQ100 | | |
| 185 | 493 | 75mm hole | 75mm hole | Poolquip P75 | | PQ75 | | |
| 185 | 493 | 75mm hole | 75mm hole | Quiptron C696 | | PQ75 | | |
| 185 | 493 | 75mm hole | 75mm hole | Stroud P4 CF100 | | P4100 | S6322 | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|--------------------------------------|---------------|-------------------------------|---------------------|-------------|----------|-----------|
| 185 | 493 | 75mm hole | 75mm hole | Stroud P4 CF75 | | P475 | 56321 | |
| 185 | 493 | 76mm hole | 76mm hole | E-Mail | | EMAIL | | |
| 185 | 493 | 77mm hole | 77mm hole | Stroud CF 75 SD | | SD75 | S3950410 | |
| 185 | 493 | 77mm hole | 77mm hole | Stroud CF150 SD | Requires 2 x CF75SD | SD150 | S3950410 | |
| 185 | 493 | 77mm hole | 77mm hole | Stroud CF50 SD | | SD50 | S3950310 | |
| 185 | 493 | 77mm hole | 77mm hole | Waterco Trimline C50 | | WA50 | 62042 | |
| 185 | 493 | 77mm hole | 77mm hole | Waterco Trimline CC75 | | WA75C | 62049 | |
| 185 | 493 | 77mm hole | 77mm hole | Jandy CT75 | | JA75 | AO103500 | C-7473 |
| 185 | 539 | 77mm hole | 77mm hole | Emaux CF75 | | EM75 | 5050028 | |
| 185 | 548 | 75mm hole | 75mm hole | Aquaswim CF75 | | AQ75 | | |
| 185 | 548 | 75mm hole | 75mm hole | Davey Lock Ring C75 | | DV75 | 50075 | |
| 185 | 548 | 75mm hole | 75mm hole | Monarch Ecopure C100 | | MO100 | Q2227 | M9757 |
| 185 | 548 | 75mm hole | 75mm hole | Poolrite Enduro EC100 | | PR100E | 21981 | |
| 185 | 548 | 75mm hole | 75mm hole | Spaquip Lock Ring CF75 | | SQ75 | | |
| 185 | 548 | 75mm hole | 75mm hole | Spaquip Series 2000 C100 | | SQ1002 | Q2227 | |
| 185 | 548 | 77mm hole | 77mm hole | Stroud CF100 SHD | | SHD100 | S7020421 | |
| 185 | 713 | 74 OD, 56 ID Male slip fitting | 75mm hole | Poolrite CL100LP | | PR100 | 21960 | |
| 185 | 713 | 74 OD, 56 ID Male slip fitting | 75mm hole | Poolrite CL80 | | PR80 | | |
| 185 | 716 | 75mm hole | 75mm hole | Filtermaster C75 | | FM75 | 21972 | |
| 185 | 719 | 77mm hole | 77mm hole | Emaux CF100 | | EM100 | 5050023 | |
| 185 | 727 | 75mm hole | 75mm hole | Aquaswim CF100 | | AQ100 | 50100 | |
| 185 | 727 | 75mm hole | 75mm hole | Davey Lock Ring C100 | | DV100 | | |
| 185 | 727 | 75mm Hole | 75mm hole | Monarch Ecopure C150 | | MO150 | Q2228 | M9752 |
| 185 | 727 | 75mm hole | 75mm hole | Poolrite Enduro EC150 | | PR150E | 21983 | |
| 185 | 727 | 75mm hole | 75mm hole | Spa-Quip Lock Ring C100 | | SQ1000 | | |
| 185 | 727 | 75mm hole | 75mm hole | Spaquip Series 2000 C150 | | SQ1502 | Q2228 | |
| 185 | 727 | 77mm hole | 77mm hole | Stroud CF150 SHD | | SHD150 | S7020521 | |
| 185 | 744 | 75mm hole | 75mm hole | FPI C75 | | FP75 | | |
| 185 | 744 | 75mm hole | 75mm hole | Hurlcon GX150 | | HU150Q | 78084 | |
| 185 | 744 | 75mm hole | 75mm hole | Onga C150 PWL Compact (PCFII) | | ONC150 | | 99101 |
| 185 | 744 | 75mm hole | 75mm hole | Onga C200 PWL Compact (PCFII) | | ONC200 | | 99102 |
| 185 | 744 | 75mm hole | 75mm hole | Onga PCF100 | | ON100 | | 92967 |
| 185 | 744 | 75mm hole | 75mm hole | Poolquip P150 | | PQ150 | | |
| 185 | 744 | 75mm hole | 75mm hole | Quiptron C696 Old Style | | QU696O S | | |
| 185 | 744 | 75mm hole | 75mm hole | Quiptron C929 | | QU929 | | |
| 185 | 744 | 75mm hole | 75mm hole | Stroud P4 CF150 | | P4150 | S6323 | |
| 185 | 744 | 77mm hole | 77mm hole | Stroud CF100 SD | | SD100 | S3950510 | |
| 185 | 744 | 77mm hole | 77mm hole | Waterco Trimline C75 | | WA75 | 62044 | |
| 185 | 744 | 77mm hole | 77mm hole | Waterco Trimline CC100 | | WA100C | 62050 | |
| 185 | 744 | 77mm hole | 77mm hole | Jandy CT100 | | JA100 | AO103400 | C-7497 |
| 185 | 898 | 77mm hole | 77mm hole | Emaux CF150 | | EM150 | 5050024 | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|-----------------------------|--------------------------------|--|---|------------|---------------------|--------------|
| 190 | 380 | Castle top | 67mm hole | Sundance C65 | Measured to top of castle | SU65 | 6540-481 | C-7466 |
| 200 | 146 | Open (with lugs) | 59mm SAE thread | Bullfrog 25 (Hi Flo) (Fits Nature2 stick) | | SG25B | RFIL20025B | |
| 200 | 146 | Semicircle handle | 59mm SAE thread | Bullfrog 50 | | SG50B | RFIL20050B | |
| 200 | 228 | 54mm hole | 46mm hole with slip fitting | Coleman Spas 50 new | | CO50 | 100593 3301-2261 | C-8450 |
| 200 | 330 | 54mm hole | 46mm hole with slip fitting | Coleman Spas 75 | | CO75 | 100594 3301-2262 | C-8475 |
| 203 | 314 | Semicircle handle | 59mm MPT thread | Diamante 85 | | DM85 | | 8CH852R A |
| 203 | 394 | Semicircle handle | 59mm MPT thread | Jacuzzi 95 | | JP95 | 2540-381 | 8CH-102 |
| 203 | 448 | Semicircle handle | 59mm MPT thread | Diamante 120 | | DM120 | | 8CH202R A |
| 204 | 173 | 104mm hole | 104mm hole | Master Spas 45 (Eco-pur) | Raised Ring both ends | MA45 | | C-8341 |
| 205 | 255 | 75mm hole | 75mm hole | Hotsprings C65 | formally C50 (HS50) | HS65 | 31114 | C-8465 |
| 205 | 354 | 75mm hole | 75mm hole | Davey Mytilus 230 | | DV230 | | |
| 205 | 370 | 97mm hole | 97mm hole | Para HC50 | | PA50H | | |
| 205 | 455 | 97mm hole | 97mm hole | Wright Spas | | WS | | |
| 205 | 563 | 75mm hole | 75mm hole | Davey Mytilus 380 | | DV380 | | |
| 206 | 494 | Closed | 59 OD, 50 ID Male slip fitting | Finsbury C100 | | FB100 | | |
| 208 | 275 | 102mm hole | 102mm hole | Davey Series 3000 CF500 | | DV503 | Q2380 | 51050 |
| 208 | 275 | 102mm hole | 102mm hole | Spaquip Series 3000 CF500 | | SQ503 | Q2380 | Q2310 |
| 214 | 355 | Closed with 59mm SAE thread | 63mm beveled hole | Sundance C80 | For use with Microclean filter | SU80 | 6540-501 | C-8380 |
| 214 | 451 | Closed 3 step | 63mm beveled hole | Sundance C125 3 Step Universal | Measured to first lowest part of 3 step | SU125 3S | 6540-490 | C-8325 |
| 214 | 468 | Castle Top | 63mm beveled hole | Sundance C100 (Economy) | Measured to top of castle | SU100 | | |
| 214 | 468 | Castle top | 63mm beveled hole | Sundance C120 | Measured to top of castle | SU120 | 6540-482 | C-8320 |
| 214 | 483 | Male slip fitting | 63mm beveled hole | Sundance C125 Slip Fit | Replacement for Microclean + SU80 | SU125 | 6540-488 | C8326 |
| 216 | 184 | 48mm hole | 60mm hole with slots | Vita Spas 50 | | VS50 | | C-8350 |
| 216 | 184 | Semicircle handle | 59mm MPT thread | Vita Spas 502 | | VS502 | PVT50WH | 8CH-502 |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|-------------------|---------------|--------------------------------|--------------------------------------|-----------------|-------------|-----------|
| 216 | 273 | Semicircle handle | 103mm hole | Hayward 400RE Skim Filter | | HW400 | CX400RE | C-8340 |
| 216 | 441 | 103mm hole | 103mm hole | Hayward Star Clear II CX800RE | 2 of these makes Star Clear II C1500 | HW800 | CX800RE | C-8600 |
| 216 | 592 | 103mm hole | 103mm hole | Hayward Star Clear II CX1100RE | | HW1100 | CX1100RE | C-8610 |
| 227 | 441 | 102mm hole | 102mm hole | Hayward Star-Clear Plus C900 | | HW900 | CX900RE | C-8409 |
| 227 | 441 | 102mm hole | 102mm hole | Hayward Star-Clear Plus C760 | | HW760 | CX760RE | C-8411 |
| 227 | 441 | 102mm hole | 102mm hole | Sta-Rite PXC-75 | | SR75 | 25230-0075S | C-8411 |
| 227 | 441 | 102mm hole | 102mm hole | Waterway Pro Clean 75 | | WW75PC | 817-0075P | C-8411 |
| 227 | 441 | 102mm hole | 102mm hole | Waterway Clearwater II 75 | | WW75CW | 817-0075N | C-8411 |
| 227 | 441 | 102mm hole | 102mm hole | Sta-Rite PXC-95 | | SR95 | 25230-0095S | C-8409 |
| 227 | 441 | 102mm hole | 102mm hole | Waterway Pro Clean 100 | | WW100PC | 817-0100P | C-8409 |
| 227 | 441 | 102mm hole | 102mm hole | Waterway Clearwater II 100 | | WW100CW | 817-0100N | C-8409 |
| 227 | 441 | 102mm hole | 102mm hole | Hayward XStream CC1000RE | | HW100XS | CCX1000RE | C-8311 |
| 227 | 592 | 102 hole | 102 hole | Jandy CS100 | | JA100 | R0462200 | C8410 |
| 227 | 592 | 102mm hole | 102mm hole | Hayward Star-Clear Plus C1200 | | HW1200 | CX1200RE | C-8412 |
| 227 | 592 | 102mm hole | 102mm hole | Hayward XStream CC1500RE | | HW150XS | CCX1500RE | C-8316 |
| 227 | 592 | 102mm hole | 102mm hole | Hayward XStream CC1750RE | | HW175XS | CC1750RE | C-8317 |
| 227 | 592 | 102mm hole | 102mm hole | Waterway Clearwater II 200 | | WW200CW | 817-0200N | C-8419 |
| 227 | 592 | 102mm hole | 102mm hole | Waterway Pro Clean 125 (8412) | | WW125PC 8412 | 817-0125N | C-8412 |
| 227 | 592 | 102mm hole | 102mm hole | Waterway Clearwater II 125 | | WW125CW | 817-0125N | C-8412 |
| 227 | 592 | 102mm hole | 102mm hole | Waterway Clearwater II 150 | | WW150CW | 817-0150N | C-8414 |
| 227 | 592 | 102mm hole | 102mm hole | Waterway Pro Clean 150 (8414) | | WW150PC 8414 | 817-0150N | C-8414 |
| 227 | 592 | 102mm hole | 102mm hole | Jandy CS150 | | JA150 | R0462300 | C-8414 |
| 227 | 716 | 102mm hole | 102mm hole | Hayward Star-Clear Plus C1750 | | HW1750 | CX1750RE | C-8417 |
| 227 | 716 | 102mm hole | 102mm hole | Waterway Pro Clean 175 | | WW175PC | 817-0175P | C-8417 |
| 227 | 716 | 102mm hole | 102mm hole | Hayward Star-Clear Plus C1900 | | HW1900 | CX1900RE | C-8420 |
| 227 | 716 | 102mm hole | 102mm hole | Waterway Pro Clean 200 | | WW200PC | 817-0200P | C-8420 |
| 227 | 716 | 102mm hole | 102mm hole | Sta-Rite PXC-125 | | SR125 | 25230-0125S | C-8413 |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|------------|---------------------------------|-------------------------------|-----------------------|---------------|-------------|-----------|
| 227 | 716 | 102mm hole | 102mm hole | Waterway Pro Clean 125 (8413) | | WW125PC 8413 | 817-0125P | C-8413 |
| 227 | 716 | 102mm hole | 102mm hole | Sta-Rite PXC-150 | | SR150 | 25230-0150S | C-8416 |
| 227 | 716 | 102mm hole | 102mm hole | Waterway Pro Clean 150 (8416) | | WW150 PC 8416 | 817-0150P | C-8416 |
| 227 | 841 | 102mm hole | 102mm hole | Jandy CS200 | | JA200 | R0462400 | C-8418 |
| 227 | 841 | 102mm hole | 102mm hole | Jandy CS250 | | JA250 | R0462500 | C-8425 |
| 228 | 260 | 95mm hole | 95mm hole | Astral Terra CE 2505 | | AT50 | 18218RO100 | C-8449 |
| 228 | 381 | 95mm hole | 95mm hole | Astral Terra CE 2507 | | AT75 | 18219RO100 | C-8474 |
| 228 | 500 | 95mm hole | 95mm hole | Astral Terra CE 2510 | | AT100 | 18112RO100 | C-8499 |
| 228 | 620 | 95mm hole | 95mm hole | Astral Terra CE 2515 | | AT150 | 18220RO100 | C-8415 |
| 230 | 274 | 102mm hole | 102mm hole | Davey Series 3000 CF750 | | DV753 | Q2381 | 51075 |
| 230 | 274 | 102mm hole | 102mm hole | Spaquip Series 3000 CF750 | | SQ753 | Q2381 | Q2311 |
| 230 | 288 | 75mm hole | 75mm hole | Hurlcon ZX50 | | HU50Z | 78095 | |
| 230 | 288 | 75mm hole | 75mm hole | Hurlcon ZX75 | | HU75Z | 78096 | |
| 230 | 293 | 102mm hole | 101 OD, 49 ID Male slip fitting | Poolrite Water Miser 110 | | PR110 | 21962 | |
| 230 | 372 | 102mm hole | 102mm hole | Davey Series 3000 CF1000 | | DV1003 | Q2382 | 51100 |
| 230 | 372 | 102mm hole | 102mm hole | Spaquip Series 3000 CF1000 | | SQ1003 | Q2382 | Q2312 |
| 230 | 449 | 75mm hole | 75mm hole | Hurlcon ZX155 | 2 per set with joiner | HU155Z | 78088 | |
| 230 | 369 | Castle top | Male slip fitting | Poolrite Water Miser 130 | | PR130 | 21964 | |
| 230 | 488 | 75mm hole | 75mm hole | Hurlcon ZX100 | | HU100Z | 78097 | |
| 230 | 488 | 75mm hole | 75mm hole | Hurlcon ZX150 | | HU150Z | 78098 | |
| 230 | 565 | 102mm hole | 102mm hole | Davey Series 3000 CF1500 | | DV1503 | Q2382 | 51150 |
| 230 | 565 | 102mm hole | 102mm hole | Spaquip Series 3000 CF1500 | | SQ1503 | Q2382 | Q2313 |
| 230 | 688 | 75mm hole | 75mm hole | Hurlcon ZX200 | | HU200Z | 78099 | |
| 230 | 688 | 75mm hole | 75mm hole | Hurlcon ZX250 | | HU250Z | 78094 | |
| 235 | 688 | 74mm hole | 74mm hole | Swimplex 250 | | SP250 | | |
| 236 | 360 | 76mm hole | 76mm hole | Hayward CX850RE | | HW850 | CX850RE | C-9485 |
| 236 | 499 | 76mm hole | 76mm hole | Hayward CX1250RE | | HW1250 | CX1250RE | C-9499 |
| 253 | 280 | 140mm hole | 140mm hole | Paradise C50 | | PD50 | | |
| 253 | 512 | 140mm hole | 140mm hole | Paradise C80 | | PD80 | | |
| 255 | 212 | 75mm hole | 75mm hole | Waterco Opal 90 | Pre 2006 OD was 262 | WA90 | | |
| 255 | 430 | 75mm hole | 75mm hole | Paramount Opal 85 | Pre 2006 OD was 262 | PO85 | | |
| 255 | 430 | 75mm hole | 75mm hole | Waterco Opal 110 | Pre 2006 OD was 262 | PO110 | 701032 | |
| 255 | 430 | 75mm hole | 75mm hole | Waterco Opal 120 | Pre 2006 OD was 262 | WA120 | 701033 | |
| 255 | 430 | 75mm hole | 75mm hole | Waterco Opal 135 | Pre 2006 OD was 262 | WA135 | 701039 | |



Dimension Chart by **OUTSIDE DIAMETER**

| OUTSIDE DIAMETER | LENGTH | TOP ENDCAP | BOTTOM ENDCAP | PRODUCT NAME | COMMENTS | MAGNUM P/N | OEM P/N | OTHER P/N |
|------------------|--------|---------------------|----------------------|-------------------------------|---------------------|------------|---------|-----------|
| 255 | 430 | 75mm hole | 75mm hole | Waterco Opal 150 | Pre 2006 OD was 262 | PO150 | 701034 | |
| 255 | 430 | 75mm hole | 75mm hole | Waterco Opal 180 | Pre 2006 OD was 262 | WA180 | 701038 | |
| 260 | 412 | Closed | Moulded cone adaptor | D.E Conversion De 20/100 | | DE20100 | | |
| 260 | 632 | Closed | Moulded cone adaptor | D.E Conversion De 32/150 | | DE32150 | | |
| 295 | 295 | 100mm hole | Cone with 60mm hole | Poolrite Watermiser 200 Lower | | PR200L | 21966 | |
| 295 | 355 | Closed castle top | Cone with 60mm hole | Poolrite Watermiser 200 Upper | | PR200U | 21965 | |
| 300 | 295 | Moulded knob handle | Moulded cone adaptor | Nally Astra 75 | | NA75 | | |
| 300 | 500 | Moulded knob handle | Moulded cone adaptor | Nally Astra 150 | | NA150 | | |
| 300 | 500 | Moulded knob handle | Moulded cone adaptor | Nally Astra 180 | | NA180 | | |
| 305 | 230 | 78mm hole | 78mm hole | Waterco Fulflo 90 | | WA90F | 62281 | |
| 305 | 440 | 78mm hole | 78mm hole | Waterco Fulflo 180 | | WA180F | 62283 | |

www.magnumfilters.com